

Rec'd PCT/PTO 16 DEC 2004
PCT/GB 2003 / 0 0 2 5 7 0
10/518307

INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 15 AUG 2003

WIPO PCT

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Stephen Hordley


Dated 3 July 2003

BEST AVAILABLE COPY

1977



27JUN02 09:02:15 D02819
P014700 0.00-0214846.8



The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

127 JUN 2002

1. Your reference

C1378.00/M

2. Patent application number

(The Patent Office will fill in this part)

0214846.8

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Medical Research Council
20 Park Crescent
London
W1B 1AL

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

England

596 007001

4. Title of the invention

Treatment of Tissue Specimens

5. Name of your agent (if you have one)

Keith W Nash & Co

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

90-92 Regent Street
Cambridge
CB2 1DP

Patents ADP number (if you know it)

1206001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country	Priority application number (if you know it)	Date of filing (day / month / year)
---------	---	--

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application	Date of filing (day / month / year)
-------------------------------	--

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

See note (d))

Yes

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.

Continuation sheets of this form

Description 5

Claim(s) 3

Abstract 1

Drawing(s) 2 + 2

CF

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature Keith W Nash & Co Date 26.06.02

12. Name and daytime telephone number of person to contact in the United Kingdom Clare Matthews - 01223 355477

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.

C1378.00/M

TITLE: TREATMENT OF TISSUE SPECIMENS

Field of the Invention

This invention relates to the treatment of tissue specimens, particularly (but not exclusively) prior to imaging of the specimens by optical projection tomography (OPT).

Background to the Invention

Tissue specimens are normally treated by immersion in one or more liquids, before the specimens are imaged in OPT apparatus, and the invention was devised as a way of facilitating this pre-treatment of specimens.

Summary of the Invention

According to one aspect of the invention there is provided apparatus for treating tissue specimens by immersion in a liquid, the apparatus comprising a first structure providing a chamber for holding the liquid, and a second structure including holding means for releasably holding the specimens, the first and second structures being relatively moveable in a direction having a vertical component between a first position in which the holding means are relatively close to the chamber and in which the second structure closes the top of the chamber to enable the specimens to be immersed in the liquid whilst the latter is protected from the environment, and a second position in which the holding means are relatively distant from the chamber to enable the specimens to be loaded onto or unloaded from the holding means.

Preferably, the first structure is stationary and the second structure is shiftable vertically with respect to the first structure.

The holding means may include magnets to enable specimens, each provided with a metal mount, to be detachably retained on the second structure by magnetic attraction.

The chamber is preferably in the form of an annular trough in which case the holding means may hold the specimens so that the latter depend from the holding means, conveniently at angularly spaced positions around a circle such that the specimens are lowered into the trough as the second structure is lowered to its first position. In this case, the second structure preferably includes a lid which acts to close the chamber in the first position and the underside of which carries the holding means. Lid closure helps to prevent evaporation of volatile treatment liquids.

The second structure may be rotatably moveable around a central vertical axis, enabling specimens to be loaded onto and unloaded from the second structure at a chosen position alongside the apparatus, either by a robotic arm or a human hand.

The apparatus may have the facility to change the liquid when in the first position, enabling the specimens to be treated by different liquids in a succession of treatment stages, whilst retaining the chamber closed. For example, the apparatus may have a pump to fill and empty the chamber with a succession of chosen liquids which, in the case of tissue specimens, may act to wash or otherwise treat the specimens prior to the specimens being imaged by means of optical projection tomography.

According to another aspect of the invention there is provided a method of treating tissue specimens by immersion in a liquid in a chamber, the method comprising loading the specimens onto a holder so that the specimens depend from the holder and are disposed above the liquid in the chamber, effecting relative movement between the chamber and the specimens in one direction to cause immersion of the specimens in the liquid whilst maintaining the chamber closed and protected from the environment during immersion.

effecting relative movement between the chamber and the specimens in the opposite direction to bring the specimens out of the liquid, and unloading the treated specimens from the holder.

The specimens may be treated by different liquids in a plurality of treatment stages which are preferably carried out by successive emptying and filling of the chamber with the different liquids, whilst the specimens remain in the chamber and whilst the chamber remains closed and protected from the environment.

Brief Description of the Drawings

The invention will now be further described, by way of example, with reference to the accompanying drawings, in which:-

Figure 1 is an isometric view of apparatus according to the invention and in an open condition,

Figure 2 is an isometric view of the apparatus in a closed condition,

Figure 3 is a fragmentary view, to an enlarged scale, of part of the apparatus in an open condition, showing specimens held by the apparatus,

Figure 4 is a cross-sectional view of the apparatus,

Figure 5 shows the apparatus in combination with a robotic arm,

Figure 6 is an enlarged view of part of Figure 5, and

Figure 7 shows the robotic arm positioning a specimen onto the rotary stage of an OPT scanner.

Detailed Description

The apparatus comprises a fixed structure 1 having a cylindrical outer casing 2 in the top of which is positioned an annular trough 3 which is open at the top. Mounted in the fixed structure is a moveable structure 4 having a central hub or spindle 5 on the top of which is mounted a disc-like lid 6 the underside of which carries a number of angularly spaced and downwardly depending cylindrical magnets 7. The hub or spindle 5 is rotatably mounted in the fixed structure for rotation of the moveable structure about a central vertical axis indicated at 8 in Figure 4. Also, the hub or spindle 5 is capable of vertical translational movement with respect to the fixed structure 1 along the vertical axis 8.

Within the casing 2 are located motors and gearing for driving the structure 4 both in rotation and translational movement, as indicated at 9 in Figure 4. The trough 3 is capable of being filled with liquids, and the structure 1 includes containers for holding these liquids and pumps for filling and emptying the trough, as indicated at 10 in Figure 4.

The magnets 7 are used to hold, in a detachable manner, tissue specimens 12 each of which has been prepared with a metal mount 13 at one end of the specimen. This allows each metal 13 mount to depend from one of the magnets 7, with the specimen 12 depending downwardly from the mount 13. When the apparatus is in the open condition (Figure 1), the magnets 7 are raised clear of the top of the trough 3 so that the specimens 12 can be attached to or removed from the magnets 7. When the apparatus is in the closed position (Figure 2), the lid 6 engages the top of the casing 2 and the specimens 12 are immersed in a liquid 14 in the trough 3.

The robotic arm 15 shown in Figures 6 and 7 is used to load untreated specimens into the apparatus and also to transfer treated specimens from the apparatus to the rotary stage 16 of an OPT scanner where the specimens are imaged.

In use, the robotic arm 15 is used to load specimens into the apparatus, each specimen being attached to the lower end of a corresponding magnet 7 by virtue of the magnetic attraction between the magnet 7 and the metal mount 13 at one end of the specimen 12, the moveable structure 4 being in the open position and being indexed in a rotational sense as the specimens are loaded. When loaded with specimens, the moveable structure is moved to its lowered or closed position, thereby immersing the specimens 12 in the liquid 14 which has been pumped into the trough 3. In this closed position, the lid 6 engages the upper rim of the outer casing 2 so that the liquid 14 is closed to the air, thereby allowing the use of a volatile liquid, unlike known apparatus which uses conveyor belts for transferring specimens through a liquid.

If it is required to treat the specimens by a succession of liquids, the first liquid is drained from the trough 3 and a second liquid pumped therein, without the need for the trough 3 to be opened to the air. Moreover, the attachment of the metal mounts 13 to the magnets 7 retains the specimens 12 in their hanging positions so that the specimens do not engage the bottom of the trough 3, which could damage them.

Any number of treatment stages can be carried out in this manner, the liquid being changed without the need to move the specimens and employing only a small volume of each treatment liquid.

After treatment of the specimens 12, the moveable structure 4 is raised to its upper position and the treated specimens 12 are then transferred to the rotary stage 16 by means of the robotic arm 15, the structure 4 being rotationally indexed to enable the robotic arm 15 to unload each specimen 12 in turn and to transfer the treated specimen 5 to the rotary stage 16.

Examples of liquids for treating the specimens are fixatives (such as paraformaldehyde or formalin), alcohols (in particular methanol and ethanol) and organic solvents for clearing the specimens (in particular benzyl alcohol and benzyl benzoate).

CLAIMS

1. Apparatus for treating tissue specimens by immersion in a liquid, the apparatus comprising a first structure providing a chamber for holding the liquid, and a second structure including holding means for releasably holding the specimens, the first and second structures being relatively moveable in a direction having a vertical component between a first position in which the holding means are relatively close to the chamber and in which the second structure closes the top of the chamber to enable the specimens to be immersed in the liquid whilst the latter is protected from the environment, and a second position in which the holding means are relatively distant from the chamber to enable the specimens to be loaded onto or unloaded from the holding means.
2. Apparatus according to claim 1, wherein the first structure is stationary and the second structure is shiftable vertically with respect to the first structure.
3. Apparatus according to claim 1 or 2, wherein the holding means include magnets to enable specimens, each provided with a metal mount, to be detachably retained on the second structure by magnetic attraction.
4. Apparatus according to any of the preceding claims, wherein the chamber is in the form of an annular trough.
5. Apparatus according to claim 4, wherein the holding means hold the specimens so that the latter depend from the holding means at angularly spaced positions around a circle such that the specimens are lowered into the trough as the second structure is lowered to its first position.

6. Apparatus according to claim 4 or 5, wherein the second structure includes a lid which acts to close the chamber in the first position and the underside of which carries the holding means.
7. Apparatus according to any of the preceding claims, wherein the second structure is rotatably moveable around a central vertical axis, enabling specimens to be loaded onto and unloaded from the second structure at a chosen position alongside the apparatus, either by a robotic arm or a human hand.
8. Apparatus according to any of the preceding claims, wherein the apparatus has the facility to change the liquid when in the first position, enabling the specimens to be treated by different liquids in a succession of treatment stages, whilst retaining the chamber closed.
9. A method of treating tissue specimens by immersion in a liquid in a chamber, the method comprising loading the specimens onto a holder so that the specimens depend from the holder and are disposed above the liquid in the chamber, effecting relative movement between the chamber and the specimens in one direction to cause immersion of the specimens in the liquid whilst maintaining the chamber closed and protected from the environment during immersion, effecting relative movement between the chamber and the specimens in the opposite direction to bring the specimens out of the liquid, and unloading the treated specimens from the holder.
10. A method according to claim 9, wherein the specimens are treated by different liquids in a plurality of treatment stages.
11. A method according to claim 10, wherein the treatment stages are carried out by successive emptying and filling of the chamber with the different liquids, whilst the specimens remain in the chamber and whilst the chamber remains closed and protected from the environment.

12. Apparatus for treating tissue specimens by immersion in a liquid, the apparatus being constructed and arranged substantially as herein particularly described with reference to the accompanying drawings.
13. A method of treating tissue specimens by immersion in a liquid, the method being substantially as herein particularly described with reference to the accompanying drawings.

C1378.00/M

ABSTRACT

TITLE: TREATMENT OF TISSUE SPECIMENS

Apparatus for treating tissue specimens comprises a stationary outer casing (2) in the top of which is positioned an annular trough (3) for holding a liquid. Rotatably mounted in the outer casing (2) is a central hub (5) supporting a disc-like lid (6) the underside of which carries a magnet (7). In use, the magnets hold, in a detachable manner, tissue specimens (12) and the trough (3) is filled with a liquid for treating the specimens. The hub (5) is capable of vertical translational movement with respect to the casing (2) to enable the specimens to be lowered into and subsequently lifted out of the trough (3).

(Figure 4)




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.